



Safety Data Sheet

Version: 1
Revision Date: 1/26/2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product identifier. 101286 |
Product name. ODORx Bad Odor Block Cherry
UFI DTPF-60XK-G00Q-PNSC

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use. Deodorizer
Uses advised against. Professional Use Only

1.3. Details of the supplier of the safety data sheet

Supplier. Legend Brands
15180 Josh Wilson Road
Burlington, WA 98233
E-Mail: sds@legendbrands.com
800-932-3030

Legend Brands Europe
22 Plover Close Interchange Park
Newport Pagnell MK069PS UK
+44 (0) 1908 611211

Rust-Oleum Europe
Kolenbergstraat 23
3545 Halen, Belgium

1.4. Emergency telephone number INFOTRAC 1-800-535-5053 (North America)
+1-352-323-3500 (International)

Europe 112
Austria +43 1 406 43 43
Belgium Poison center (BE): +32 70 245 245
Denmark Poison Control Hotline (DK): +45 82 12 12 12
Finland Poison Information Centre (FI):+358 9 471 977
France ORFILA (FR): + 01 45 42 59 59
Germany Poison Center Berlin (DE): +49 030 30686 790 |par Poison Center Nord: +49 551 19240
(24h available English / German)
Ireland National Poisons Information Centre (IE): +353 1 8379964 / + 353 1 8092566
Iceland +354 543 2222
Italy Poison Center, Milan (IT): +39 02 6610 1029
Luxembourg 112
Netherlands National Poisons Information Center (NL): +31 88 755 8000 (NB: this service is only available to health professionals)
Norway Poisons Information (NO):+ 47 22 591300
Portugal Poison Information Center (PT): +351 800 250 250
Spain Poison Information Service (ES): +34 91 562 04 20
Sweden Poisons Information Center (SV):+46 8 33 12 31
Switzerland Poison Center: Tel 145; +41 44 251 51 51
United Kingdom 111 / 0300 020 0155

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Flammable Liquid, category 3
Hazardous to the aquatic environment, Chronic, category 2
Skin Sensitizer, category 1

Skin drying or cracking

2.2. Label elements**Signal Word**

Warning

Hazardous ingredients which must be listed on the labelContains
D-limonene**Possible Hazards**9.8% of the mixture consists of ingredient(s) of unknown toxicity
9.8% of the mixture consists of ingredient(s) of unknown acute inhalation toxicity**GHS HAZARD STATEMENTS**

H226 Flammable liquid and vapor.
 H411 Toxic to aquatic life with long lasting effects.
 H317 May cause an allergic skin reaction.
 EUH066 Repeated exposure may cause skin dryness or cracking.

GHS LABEL PRECAUTIONARY STATEMENTS

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
 P233 Keep container tightly closed.
 P273 Avoid release to the environment.
 P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
 P362+P364 Take off contaminated clothing and wash it before reuse.
 P391 Collect spillage.

GHS SDS PRECAUTIONARY STATEMENTS

P240 Ground and bond container and receiving equipment.
 P241 Use explosion-proof [electrical/ventilating/lighting/...] equipment.
 P242 Use non-sparking tools.
 P243 Take action to prevent static discharges.
 P261 Avoid breathing dust/fume/gas/mist/vapours/spray.
 P272 Contaminated work clothing should not be allowed out of the workplace.
 P280 Wear protective gloves/protective clothing/eye protection/face protection.
 P302+P352 IF ON SKIN: Wash with plenty of soap and water.
 P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
 P370+P378 In case of fire: Use... to extinguish.
 P403+P235 Store in a well-ventilated place. Keep cool.
 P501 Dispose of contents/container to an approved waste disposal plant.

2.3. Other hazards

EMERGENCY OVERVIEW: No Information

SECTION 3: Composition/information on ingredients**3.1. Substances**

This product is a mixture. Health hazard information is based on its components.

3.2. Mixtures

Chemical Name	CAS-No.	EC No.	REACH Reg No.	Wt. %
Propylene glycol	57-55-6	200-338-0	No Information	>=10 - <20
BENZALDEHYDE	100-52-7	202-860-4	No Information	>=10 - <20
Vanillin	121-33-5	204-465-2	No Information	>=1 - <3
Benzyl acetate	140-11-4	205-399-7	No Information	>=1 - <3
AMYL ACETATE	628-63-7	211-047-3	No Information	>=1 - <3
D-limonene	5989-27-5	227-813-5	No Information	>=0.5 - <1.5

Ethyl Acetate	141-78-6	205-500-4	No Information	>=0.5 - <1.5
BENZENE, 1,1'-OXYBIS-	101-84-8	202-981-2	No Information	>=0.5 - <1.5
alpha-terpineol	98-55-5	202-680-6	No Information	>=0.5 - <1.5
Anisaldehyde	123-11-5	204-602-6	No Information	>=0.5 - <1.5

Chemical Name	Classification (1272/2008/EC)	Specific Conc. Limits, M-factors and ATEs
Propylene glycol	Not classified	ATE oral (mg/kg): 20000 mg/kg Rat ATE dermal (mg/kg): 20800 mg/kg Rabbit ATE inhalation - vapor (mg/l/4h): N.R. ATE inhalation - dust/mist (mg/l/4h): N.R.
BENZALDEHYDE	Acute Tox. 4 Oral (H302) Acute Tox. 4 Dermal (H312)	ATE oral (mg/kg): 1292 mg/kg Rat ATE dermal (mg/kg): >1250 mg/kg Rabbit ATE inhalation - vapor (mg/l/4h): N.R. ATE inhalation - dust/mist (mg/l/4h): N.R.
Vanillin	Acute Tox. 4 Oral (H302) Acute Tox. 4 Inhalation (H332) Aquatic Chronic 3 (H412)	ATE oral (mg/kg): 1580 mg/kg Rat ATE dermal (mg/kg): >5010 mg/kg Rabbit ATE inhalation - dust/mist (mg/l/4h): N.R.
Benzyl acetate	Not classified	ATE oral (mg/kg): 2490 ATE dermal (mg/kg): N.R.
AMYL ACETATE	Skin Cracking (EUH066) Flam. Liq. 3 (H226)	ATE oral (mg/kg): 6500 mg/kg Rat ATE inhalation - dust/mist (mg/l/4h): N.R.
D-limonene	Flam. Liq. 3 (H226) Asp. Tox. 1 (H304) Skin Irrit. 2 (H315) Skin Sens. 1B (H317) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410)	ATE oral (mg/kg): 5200 mg/kg, 4400 mg/kg Rat ATE dermal (mg/kg): >5000 mg/kg Rabbit M-Factors: 1
Ethyl Acetate	Skin Cracking (EUH066) Flam. Liq. 2 (H225) Eye Irrit. 2A (H319) STOT SE 3 NE (H336)	ATE oral (mg/kg): 5620 mg/kg Rat ATE dermal (mg/kg): >18000 mg/kg Rabbit ATE inhalation - vapor (mg/l/4h): N.R. ATE inhalation - dust/mist (mg/l/4h): N.R.
BENZENE, 1,1'-OXYBIS-	Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410)	ATE oral (mg/kg): 2450 mg/kg Rat ATE dermal (mg/kg): >7940 mg/kg Rabbit
alpha-terpineol	Skin Irrit. 2 (H315) Eye Irrit. 2A (H319)	ATE oral (mg/kg): 5170 mg/kg Rat ATE dermal (mg/kg): >2000 mg/kg Rat
Anisaldehyde	Acute Tox. 1 Inhalation (H330)	ATE oral (mg/kg): >2000 mg/kg Rat ATE dermal (mg/kg): >5000 mg/kg Rabbit ATE inhalation - vapor (mg/l/4h): >0.32 mg/L Rat ATE inhalation - dust/mist (mg/l/4h): N.R.

For the full text of the H-Statements mentioned in this Section, see Section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

General advice.

Call a physician if irritation develops or persists. Show this safety data sheet to the doctor in attendance.

When symptoms persist or in all cases of doubt seek medical advice.

Inhalation.

Move to fresh air. If symptoms persist, call a physician. If not breathing, give artificial respiration.

Skin contact.

If skin irritation persists, call a physician. Wash off immediately with soap and plenty of water. Remove all contaminated clothes and shoes.

Eye contact.

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician. Call a physician if irritation develops or persists. Remove contact lenses, if present.

Ingestion.

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Call a physician immediately. Gently wipe or rinse the inside of the mouth with water.

4.2. Most important symptoms and effects, both acute and delayed**Symptoms.**

See Section 2.2, Label Elements and/or Section 11, Toxicological effects.

4.3. Indication of any immediate medical attention and special treatment needed**Notes to physician.**

Treat symptomatically.

SECTION 5: Firefighting measures**5.1. Extinguishing media****Suitable extinguishing media.**

Water spray. Foam. Dry powder. Dry chemical. Alcohol-resistant foam. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Carbon dioxide (CO₂).

Extinguishing media which shall not be used for safety reasons.

High volume water jet.

5.2. Special hazards arising from the substance or mixture

Flash back possible over considerable distance. Hazardous decomposition products formed under fire conditions.

5.3. Advice for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

Remove all sources of ignition. Use personal protection recommended in Section 8.

As in any fire, wear self-contained breathing apparatus and full protective gear.

SECTION 6: Accidental release measures**6.1. Personal precautions, protective equipment and emergency procedures****Personal precautions.**

Avoid contact with skin, eyes and clothing. Ensure adequate ventilation, especially in confined areas. Do not breathe vapors or spray mist.

Advice for emergency responders.

Remove all sources of ignition. Use personal protection recommended in Section 8.

6.2. Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not allow material to contaminate ground water system. Prevent product from entering drains. See Section 12 for additional Ecological information.

6.3. Methods and material for containment and cleaning up**Methods for Containment.**

Prevent further leakage or spillage if safe to do so. Pick up and transfer to properly labeled containers. Use personal protective equipment. Remove all sources of ignition.

Methods for cleaning up.

Use personal protective equipment as required.

Other information.

No Information

6.4. Reference to other sections

No Information

SECTION 7: Handling and storage**7.1. Precautions for safe handling****Advice on safe handling.**

Handle in accordance with good industrial hygiene and safety practice. Keep away from sources of ignition - No smoking.

Hygiene measures.

See section 7 for more information.

7.2. Conditions for safe storage, including any incompatibilities**Storage Conditions.**

Keep containers tightly closed in a cool, well-ventilated place. Store in original container.

7.3. Specific end use(s)**Specific use(s).**

No Information

Exposure scenario.

No Information Available

SECTION 8: Exposure controls/personal protection**8.1. Control parameters****Exposure Limit Values**

Chemical Name	Austria	Belgium	Denmark	European Union.	Finland	France
Propylene glycol 57-55-6	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
BENZALDEHYD E 100-52-7	N.D.	N.D.	N.D.	N.D.	TWA: 1 ppm TWA: 4.4 mg/m3	N.D.
Vanillin 121-33-5	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
Benzyl acetate 140-11-4	N.D.	TWA: 10 ppm TWA: 62 mg/m3	TWA: 10 ppm TWA: 61 mg/m3	N.D.	N.D.	N.D.
AMYL ACETATE 628-63-7	STEL: 100 ppm STEL: 540 mg/ m3 TWA: 50 ppm TWA: 270 mg/m3	STEL: 100 ppm STEL: 540 mg/ m3 TWA: 50 ppm TWA: 270 mg/m3	TWA: 50 ppm TWA: 271 mg/m3	STEL: 100 ppm STEL: 540 mg/ m3 TWA: 50 ppm TWA: 270 mg/m3	STEL: 100 ppm STEL: 540 mg/ m3 TWA: 50 ppm TWA: 270 mg/m3	STEL: 100 ppm STEL: 540 mg/ m3 TWA: 50 ppm TWA: 270 mg/m3
Anisaldehyde 123-11-5	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
alpha-terpineol 98-55-5	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
Ethyl Acetate 141-78-6	STEL: 400 ppm STEL: 1468 mg/ m3 TWA: 200 ppm TWA: 734 mg/m3	STEL: 400 ppm STEL: 1468 mg/ m3 TWA: 200 ppm TWA: 734 mg/m3	TWA: 150 ppm TWA: 540 mg/m3	STEL: 1468 mg/ m3 STEL: 400 ppm TWA: 734 mg/m3 TWA: 200 ppm	STEL: 400 ppm STEL: 1470 mg/ m3 TWA: 200 ppm TWA: 730 mg/m3	STEL: 400 ppm STEL: 1468 mg/ m3 TWA: 200 ppm TWA: 734 mg/m3
D-limonene 5989-27-5	N.D.	N.D.	N.D.	N.D.	STEL: 50 ppm STEL: 280 mg/ m3 TWA: 25 ppm TWA: 140 mg/m3	N.D.
BENZENE, 1,1'- OXYBIS- 101-84-8	STEL: 2 ppm STEL: 14 mg/m3 TWA: 1 ppm TWA: 7 mg/m3	STEL: 2 ppm STEL: 14 mg/m3 TWA: 1 ppm TWA: 7 mg/m3	TWA: 1 ppm TWA: 7 mg/m3	STEL: 14 mg/m3 STEL: 2 ppm TWA: 7 mg/m3 TWA: 1 ppm	STEL: 2 ppm STEL: 14 mg/m3 TWA: 1 ppm TWA: 7 mg/m3	STEL: 2 ppm STEL: 14 mg/m3 TWA: 1 ppm TWA: 7 mg/m3
Chemical Name	Germany	Iceland	Ireland	Italy	Luxembourg	Netherlands
Propylene glycol 57-55-6	N.D.	N.D.	STEL: 1410 mg/ m3 STEL: 30 mg/m3 STEL: 450 ppm TWA: 10 mg/m3 TWA: 150 ppm TWA: 470 mg/m3	N.D.	N.D.	N.D.
BENZALDEHYD E 100-52-7	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
Vanillin 121-33-5	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
Benzyl acetate 140-11-4	N.D.	N.D.	STEL: 30 ppm TWA: 10 ppm	N.D.	N.D.	N.D.

Chemical Name	Germany	Iceland	Ireland	Italy	Luxembourg	Netherlands
AMYL ACETATE 628-63-7	STEL: 50 ppm STEL: 270 mg/ m3 TWA: 50 ppm TWA: 270 mg/m3	STEL: 100 ppm STEL: 540 mg/ m3 TWA: 50 ppm TWA: 270 mg/m3	STEL: 100 ppm STEL: 540 mg/ m3 TWA: 50 ppm TWA: 270 mg/m3	STEL: 100 ppm STEL: 540 mg/ m3 TWA: 50 ppm TWA: 270 mg/m3	STEL: 100 ppm STEL: 540 mg/ m3 TWA: 50 ppm TWA: 270 mg/m3	STEL: 530 mg/ m3
Anisaldehyde 123-11-5	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
alpha-terpineol 98-55-5	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
Ethyl Acetate 141-78-6	STEL: 400 ppm STEL: 1500 mg/ m3 TWA: 200 ppm TWA: 750 mg/m3	TWA: 150 ppm TWA: 540 mg/m3	STEL: 1468 mg/ m3 STEL: 400 ppm TWA: 734 mg/m3 TWA: 200 ppm	STEL: 1468 mg/ m3 STEL: 400 ppm TWA: 734 mg/m3 TWA: 200 ppm	STEL: 1468 mg/ m3 STEL: 400 ppm TWA: 734 mg/m3 TWA: 200 ppm	STEL: 1468 mg/ m3 TWA: 734 mg/m3
D-limonene 5989-27-5	STEL: 20 ppm STEL: 112 mg/ m3 TWA: 5 ppm TWA: 28 mg/m3	N.D.	N.D.	N.D.	N.D.	N.D.
BENZENE, 1,1'- OXYBIS- 101-84-8	STEL: 1 ppm STEL: 7.1 mg/m3 TWA: 1 ppm TWA: 7.1 mg/m3	STEL: 2 ppm STEL: 14 mg/m3 TWA: 1 ppm TWA: 7 mg/m3	STEL: 2 ppm STEL: 14 mg/m3 TWA: 1 ppm TWA: 7 mg/m3	TWA: 7 mg/m3 TWA: 1 ppm	STEL: 14 mg/m3 STEL: 2 ppm TWA: 7 mg/m3 TWA: 1 ppm	STEL: 14 mg/m3 TWA: 7 mg/m3
Chemical Name	Norway	Portugal	Spain	Sweden	Switzerland	United Kingdom
Propylene glycol 57-55-6	STEL: 37.5 ppm STEL: 118.5 mg/ m3 TWA: 25 ppm TWA: 79 mg/m3	N.D.	N.D.	N.D.	N.D.	STEL: 450 ppm STEL: 1422 mg/ m3 STEL: 30 mg/m3 TWA: 150 ppm TWA: 474 mg/m3 TWA: 10 mg/m3
BENZALDEHYD E 100-52-7	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
Vanillin 121-33-5	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
Benzyl acetate 140-11-4	N.D.	TWA: 10 ppm	TWA: 10 ppm TWA: 62 mg/m3	N.D.	N.D.	N.D.
AMYL ACETATE 628-63-7	STEL: 75 ppm STEL: 325 mg/ m3 TWA: 50 ppm TWA: 260 mg/m3	STEL: 100 ppm STEL: 540 mg/ m3 TWA: 50 ppm TWA: 270 mg/m3	STEL: 100 ppm STEL: 540 mg/ m3 TWA: 50 ppm TWA: 270 mg/m3	STEL: 100 ppm STEL: 540 mg/ m3 TWA: 50 ppm TWA: 270 mg/m3	N.D.	N.D.
Anisaldehyde 123-11-5	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
alpha-terpineol 98-55-5	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
Ethyl Acetate 141-78-6	STEL: 400 ppm STEL: 1468 mg/ m3 TWA: 200 ppm TWA: 734 mg/m3	STEL: 1468 mg/ m3 STEL: 400 ppm TWA: 200 ppm TWA: 734 mg/m3	STEL: 400 ppm STEL: 1468 mg/ m3 TWA: 200 ppm TWA: 734 mg/m3	STEL: 300 ppm STEL: 1100 mg/ m3 TWA: 150 ppm TWA: 550 mg/m3	STEL: 400 ppm STEL: 1460 mg/ m3 TWA: 200 ppm TWA: 730 mg/m3	STEL: 1468 mg/ m3 STEL: 400 ppm TWA: 734 mg/m3 TWA: 200 ppm
D-limonene 5989-27-5	STEL: 37.5 ppm STEL: 175 mg/ m3 TWA: 25 ppm TWA: 140 mg/m3	N.D.	TWA: 30 ppm TWA: 168 mg/m3	N.D.	STEL: 14 ppm STEL: 80 mg/m3 TWA: 7 ppm TWA: 40 mg/m3	N.D.
BENZENE, 1,1'- OXYBIS- 101-84-8	STEL: 2 ppm STEL: 14 mg/m3 TWA: 1 ppm TWA: 7 mg/m3	STEL: 2 ppm STEL: 14 mg/m3 TWA: 1 ppm TWA: 7 mg/m3	STEL: 2 ppm STEL: 14.2 mg/ m3 TWA: 1 ppm TWA: 7.1 mg/m3	STEL: 2 ppm STEL: 14 mg/m3 TWA: 1 ppm TWA: 7 mg/m3	STEL: 2 ppm STEL: 14 mg/m3 TWA: 1 ppm TWA: 7 mg/m3	STEL: 2 ppm STEL: 14 mg/m3 TWA: 1 ppm TWA: 7 mg/m3

TWA: Time weighted average

STEL: Short term exposure limit.

Derived No Effect Level (DNEL)

No Information Available

Predicted No Effect Concentration (PNEC)

No Information Available

8.2. Exposure controls**Engineering Measures.**

Showers, eyewash stations, and ventilation systems.

Personal protective equipment.**Eye/Face Protection.**

Safety glasses with side-shields.

Skin and body protection.

Wear suitable protective clothing.

No Information

Respiratory protection.

In case of insufficient ventilation wear suitable respiratory equipment.

Environmental Exposure Controls.

No Information

SECTION 9: Physical and chemical properties**9.1. Information on basic physical and chemical properties**

Physical state	Solid
Appearance	fiber block
Colour	brown
Odour	cherry
Odour Threshold	No Information
pH	No Information
Melting Point, °C	No Information
Flash Point, °C	58
Boiling Range, °C	77 - 58
Combustibility	Does not Support Combustion
Vapor Pressure, mmHg	No Information
Vapor density	No Information
Specific Gravity (g/cm³)	1.153
Solubility in water	No Information
Partition Coefficient, n-octanol/water	No Information
Auto-Ignition Temperature, °C	No Information
Decomposition temperature, °C	No Information
Viscosity	No Information

9.2. Other information

Volatile organic compounds (VOC) content.	26.8%
--	-------

9.2.1. Information with regard to physical hazard classes

No Information

9.2.2. Other safety characteristics

No Information

SECTION 10: Stability and reactivity**10.1. Reactivity**

Stable under normal conditions.

10.2. Chemical stability

Stable under recommended storage conditions.

10.3. Possibility of hazardous reactions

None known based on information supplied.

10.4. Conditions to avoid

Strong oxidizing agents.

10.5. Incompatible materials

None known based on information supplied.

10.6. Hazardous decomposition products

Carbon dioxide (CO₂), carbon monoxide (CO), oxides of nitrogen (NO_x), dense black smoke.

SECTION 11: Toxicological information**11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008****Acute toxicity.**

Based on available data, the classification criteria are not met.

Product Information

Oral LD50	Dermal LD50	Inhalation LC50
99,999.00	99,999.00	99,999.00

The following values are calculated based on chapter 3.1 of the GHS document.

ATEmix (oral)	>5000 mg/kg
ATEmix (dermal)	>5000 mg/kg
	>50 mg/l

CAS-No.	Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
57-55-6	Propylene glycol	20000 mg/kg Rat	20800 mg/kg Rabbit	N.R.
100-52-7	BENZALDEHYDE	1292 mg/kg Rat	>1250 mg/kg Rabbit	N.R.
121-33-5	Vanillin	1580 mg/kg Rat	>5010 mg/kg Rabbit	N.R.
140-11-4	Benzyl acetate	2490	N.R.	N.R.
628-63-7	AMYL ACETATE	6500 mg/kg Rat	N.R.	N.R.
101-84-8	BENZENE, 1,1'-OXYBIS-	2450 mg/kg Rat	>7940 mg/kg Rabbit	N.R.
5989-27-5	D-limonene	5200 mg/kg, 4400 mg/kg Rat	>5000 mg/kg Rabbit	N.R.
98-55-5	alpha-terpineol	5170 mg/kg Rat	>2000 mg/kg Rat	N.R.
123-11-5	Anisaldehyde	>2000 mg/kg Rat	>5000 mg/kg Rabbit	>0.32 mg/L Rat
141-78-6	Ethyl Acetate	5620 mg/kg Rat	>18000 mg/kg Rabbit	N.R.

Skin corrosion/irritation.

SKIN IRRITANT.

11.2. Information on other hazards**Endocrine disrupting properties**

N.A.

Other information.

N.A.

SECTION 12: Ecological information**12.1. Toxicity**

22.19% of the mixture consists of component(s) of unknown hazards to the aquatic environment

Ecotoxicity effects.

Chemical Name	Toxicity to algae	Toxicity to fish	Toxicity to daphnia.

Propylene glycol 57-55-6	EC50 96 h Pseudokirchneriella subcapitata 19000 mg/L	LC50 96 h Oncorhynchus mykiss 51600 mg/L, LC50 96 h Oncorhynchus mykiss 41 - 47 mL/L, LC50 96 h Pimephales promelas 51400 mg/L, LC50 96 h Pimephales promelas 710 mg/L	EC50 48 h Daphnia magna >1000 mg/L
BENZALDEHYDE 100-52-7	N.D.	LC50 96 h Oncorhynchus mykiss 10.6 - 11.8 mg/L, LC50 96 h Oncorhynchus mykiss 12.69 mg/L, LC50 96 h Lepomis macrochirus 0.8 - 1.44 mg/L, LC50 96 h Pimephales promelas 6.8 - 8.53 mg/L, LC50 96 h Lepomis macrochirus 7.5 mg/L	N.D.
Vanillin 121-33-5	N.D.	LC50 96 h Pimephales promelas 53 - 61.3 mg/L, LC50 96 h Pimephales promelas 88 mg/L, LC50 96 h Pimephales promelas 57 mg/L	N.D.
Benzyl acetate 140-11-4	N.D.	N.D.	N.D.
AMYL ACETATE 628-63-7	N.D.	LC50 96 h Lepomis macrochirus 650 mg/L	N.D.
alpha-terpineol 98-55-5	N.D.	N.D.	N.D.
BENZENE, 1,1'-OXYBIS- 101-84-8	N.D.	LC50 96 h Pimephales promelas 4 mg/L, LC50 96 h Pimephales promelas 4 - 7.9 mg/L	LC50 48 h Daphnia magna 0.11 - 1.1 mg/L
Anisaldehyde 123-11-5	N.D.	N.D.	N.D.
Ethyl Acetate 141-78-6	N.D.	LC50 96 h Pimephales promelas 220 - 250 mg/L, LC50 96 h Oncorhynchus mykiss 484 mg/L, LC50 96 h Oncorhynchus mykiss 352 - 500 mg/L	EC50 48 h Daphnia magna 560 mg/L
D-limonene 5989-27-5	N.D.	LC50 96 h Pimephales promelas 0.619 - 0.796 mg/L, LC50 96 h Oncorhynchus mykiss 35 mg/L	N.D.

12.2. Persistence and degradability

No data are available on the product itself

12.3. Bioaccumulative potential

Discharge into the environment must be avoided.

CAS-No.	Chemical Name	Bio. Conc. Factor (BCF)	Octanol-water par. Coeff (KOW)
57-55-6	Propylene glycol	<1	-1.07
100-52-7	BENZALDEHYDE	N.I.	1.4
121-33-5	Vanillin	N.I.	1.23
140-11-4	Benzyl acetate	N.I.	1.96
628-63-7	AMYL ACETATE	N.I.	N.I.
5989-27-5	D-limonene	N.I.	4.38
141-78-6	Ethyl Acetate	30 (species: fish)	0.73
101-84-8	BENZENE, 1,1'-OXYBIS-	470 (species: fish)	4.21
98-55-5	alpha-terpineol	N.I.	N.I.
123-11-5	Anisaldehyde	N.I.	1.56

12.4. Mobility in soil**Mobility in soil.**

No information available

12.5. Results of PBT and vPvB assessment

No data are available on the product itself

12.6. Endocrine disrupting properties

No information available

12.7. Other adverse effects

No information available

SECTION 13: Disposal considerations**13.1. Waste treatment methods****Waste from residues / unused products.**

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated packaging.

No Information

Other information.

According to the European Waste Catalogue, Waste Codes are not product specific, but application specific.

SECTION 14: Transport information**ADR**

14.1. UN number or ID number	1266
14.2. UN proper shipping name	Perfumery Products
14.3. Transport hazard class(es)	3
14.4. Packing group	III
14.5. Environmental hazards	No.
14.6. Special precautions for user	No Information

IMDG

14.1. UN number or ID number	1266
14.2. UN proper shipping name	Perfumery Products
14.3. Transport hazard class(es)	3
14.4. Packing group	III
14.5 Marine Pollutant	No.
Environmental hazards	No.
14.6. Special precautions for user	No Information
14.7. Maritime transport in bulk according to IMO instruments	No Information

IATA

14.1. UN number or ID number	1266
14.2. UN proper shipping name	Perfumery Products
14.3. Transport hazard class(es)	3
14.4. Packing group	III
14.5. Environmental hazards	No.
14.6. Special precautions for user	No Information

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulatory information.

Germany WGK Classification 3

French table of occupational diseases

CAS-No.	Chemical Name	French table of occupational diseases
57-55-6	Propylene glycol	RG 84
628-63-7	AMYL ACETATE	RG 84
141-78-6	Ethyl Acetate	RG 84
5989-27-5	D-limonene	RG 84

European Union.

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

Persistent Organic Pollutants

Not applicable

Authorizations and/or restrictions on use:

CAS-No.	Chemical Name	Substance subject to authorization per REACH Annex XIV	Restricted substance per REACH Annex XVII
5989-27-5	D-limonene	No.	Yes.
141-78-6	Ethyl Acetate	No.	Yes.

EU Substances of Very High Concern

None

International Inventories.

TSCA	Complies
DSL	Complies
EINECS/ELINCS	Complies
ENCS	Complies
IECSC	Complies
KECI	Complies
PICCS	Complies
AIIC	Complies
NZIoC	Complies

TSCA	United States Toxic Substances Control Act Section 8(b) Inventory.
DSL	Canadian Domestic Substances List.
EINECS/ELINCS	European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances.
ENCS	Japan Existing and New Chemical Substances.
IECSC	China Inventory of Existing Chemical Substances.
KECL	Korean Existing and Evaluated Chemical Substances.
PICCS	Philippines Inventory of Chemicals and Chemical Substances.
AIIC	Australian Inventory of Industrial Chemicals.
NZIoC	New Zealand Inventory of Chemicals.

15.2. Chemical safety assessment

No.

SECTION 16: Other information

Revision Date 1/26/2023

Indication of changes: Commission Regulation (EU) 2020/878: amending Annex II by introducing specific requirements regarding nanoforms of substances, adapting to the 6th and 7th revision of the GHS, and adding requirements regarding the Unique Formula Identifier (as set by Annex VIII to Regulation (EC) 1272/2008), endocrine disrupting properties, specific concentration limits, M-factors and acute toxicity estimates.

Text for GHS Hazard Statements shown in Section 3 describing each ingredient:

EUH066	Repeated exposure may cause skin dryness or cracking.
H225	Highly flammable liquid and vapour.
H226	Flammable liquid and vapor.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H312	Harmful in contact with skin.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H330	Fatal if inhaled.
H332	Harmful if inhaled.
H336	May cause drowsiness or dizziness.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

Legend.

N.D.	No data available.
N.I.	No information available.
N.A.	Not Applicable.
N.R.	Not relevant.

This safety datasheet complies with the requirements of Regulation (EC) No. 2020/878

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.